BRITISH JOURNAL OF HAEMATOLOGY

Vol. 86 No. 1 January 1994

ANNOTATION. FRANCES FLUG, MARGARET KARPATKIN and SIMON KARPATKIN. Should all pregnant women be tested for their platelet PLA (Zw, HPA-1) phenotype? 1

CLINICAL ANNOTATION. GORDON D. O. LOWE. Should plasma viscosity replace the ESR? 6

CHUN HUA DAI, SANFORD B. KRANTZ, WAYNE F. GREEN and HARRIET S. GILBERT. Polycythaemia vera. III. Burst-forming units-erythroid (BFU-E) response to stem cell factor and c-kit receptor expression 12

ANNA CARTER, NUHAD HADDAD, ILANA DRAXLER, ELLA ISRAELI, BATYA RAZ and ILANA TATARSKY. Respective effects of soluble interleukin-1 receptor and tumour necrosis factor receptor on IL-1 and TNF-α-induced DNA synthesis of common acute lymphoblastic leukaemia blasts *in vitro* 22

D. H. BIESMA, R. J. KRAAIJENHAGEN, J. DALMULDER, J. J. M. MARX and A. VAN DE WIEL. Recombinant human erythropoietin in autologous blood donors: a dose-finding study 30

ANDERS WAAGE, DANIEL REMICK, SIGURD STEINSHAMN, LAURA DEFORGE and JON LAMVIK. Interleukin 8 in serum in granulocytopenic patients with infections 36

MARIE CARLSON, GUNNAR ÖBERG, CHRISTER PETERSON and PER VENGE. Releasability of human hypereosinophilic eosinophils is related to the density of the cells 41

JUDITH M. CHESSELLS, ALISON D. LEIPER and SUSAN M. RICHARDS. A second course of treatment for childhood acute lymphoblastic leukaemia: long-term follow-up is needed to assess results 48

FIORINA GIONA, ANNA MARIA TESTI, LUCIANA ANNINO, SERGIO AMADORI, WILLIAM ARCESE, ANDREA CAMERA, LUCA CORDERO DI MONTEZEMOLO, SAVERIO LADOGANA, VINCENZO LISO, GIOVANNA MELONI, MARIA LUISA MOLETI, ROBERTO RONDELLI, LUIGI ZANESCO, ANDREA PESSION and FRANCO MANDELLI. Treatment of primary refractory and relapsed acute lymphoblastic leukaemia in children and adults: the GIMEMA/AIEOP experience 55

DANIEL J. WEISDORF, WILLIAM G. WOODS, MARK E. NESBIT, JR, FATIH UCKUN, KATHRYN DUSENBERY, TAE KIM, ROBERT HAAKE, WILLIAM THOMAS, JOHN H. KERSEY and NORMA K. C. RAMSAY. Allogeneic bone marrow transplantation for acute lymphoblastic leukaemia: risk factors and clinical outcome 62

LUCA PIERELLI, ANTONIO IACONE, ANNA MARIA QUAGLIETTA, ANTONIO NICOLUCCI, GIACOMO MENICHELLA, PIERLUIGI BENEDETTI PANICI, DOMENICO D'ANTONIO, ANTONIO DE LAURENZI, LUCA DE ROSA, GIUSEPPE FIORITONI, ALESSANDRO INDOVINA, GIUSEPPE LEONE, IGNAZIO MAJOLINO, ALDO MONTUORO, ROSANNA SCIMÉ and GLAUCO TORLONTANO. Haemopoietic reconstitution after autologous blood stem cell transplantation in patients with malignancies: a multicentre retrospective study 70

CHRISTINE HOYLE, RICHARD GRAY and JOHN GOLDMAN. Autografting for patients with CML in chronic phase: an update 76

M. BAUDARD, J. P. MARIE, M. CADIOU, F. VIGUIÉ and R. ZITTOUN. Acute myelogenous leukaemia in the elderly: retrospective study of 235 consecutive patients 82

PATRICIA C. A. SHEPHERD, SUSAN RICHARDS and N. C. ALLAN. Severe cytopenias associated with the sequential use of busulphan and interferon-alpha in chronic myeloid leukaemia 92

PIER LUIGI TAZZARI, ANDREA BOLOGNESI, DANIELA DE TOTERO, ROBERTO M. LEMOLI, ALESSANDRA FORTUNA, ROBERTO CONTE, MICHAEL J. CRUMPTON and FIORENZO STIRPE. Immunotoxins containing saporin linked to different CD2 monoclonal antibodies: *in vitro* evaluation 97

SEIKI KAMISUE, MIDORI SHIMA, TAKUYA NISHIMURA, ICHIRO TANAKA, HIROAKI NAKAI, SHOGO MORICHIKA, NOBORU TAKATA, ATSUSHI KURAMOTO and AKIRA YOSHIOKA. Abnormal factor VIII Hiroshima: defect in crucial proteolytic cleavage by thrombin at Arg^{1689} detected by a novel ELISA 106

L. POLLER, J. M. THOMSON, D. A. TABERNER and D. K. CLARKE. The correction of coagulometer effects on international normalized ratios: a multicentre evaluation 112

J. ROCHETTE, R. BARNETSON, L. KIGER, J. KISTER, T. J. LITTLEWOOD, R. WEBSTER, C. POYART and S. L. THEIN. Association of a novel high oxygen affinity haemoglobin variant with $\delta\beta$ thalassaemia 118

F. NOROL, M. KUENTZ, C. CORDONNIER, F. BEAUJEAN, C. HAIOUN, J. P. VERNANT and N. DUÉDARI. Influence of clinical status on the efficiency of stored platelet transfusion 125

HISASHI GONDO, TOSHIO MINEMATSU, MINE HARADA, KOICHI AKASHI, SHIN HAYASHI, SHUICHI TANIGUCHI, KAZUO YAMASAKI, TSUNEFUMI SHIBUYA, YASUSHI TAKAMATSU, TAKANORI TESHIMA, TETSUYA ETO, KOJI NAGAFUJI, SHIN-ICHI MIZUNO, KENJI HOSODA, RYOICHI MORI, YOICHI MINAMISHIMA and YOSHIYUKI NIHO. Cytomegalovirus (CMV) antigenaemia for rapid diagnosis and monitoring of CMV-associated disease after bone marrow transplantation 130

JUNICHI HONDA, TOMOAKI HOSHINO, HIDEYO NATORI, SHIRO TOKISAWA, HIROYA AKIYOSHI, SHIN NAKAHARA and KOTARO OIZUMI. Rapid and sensitive diagnosis of cytomegalovirus and *Pneumocystis carinii* pneumonia in patients with haematological neoplasia by using capillary polymerase chain reaction 138

JEAN-DANIEL TISSOT, DENIS F. HOCHSTRASSER, BRUNO SCHNEIDER, JEAN-JACQUES MORGENTHALER and PHILIPPE SCHNEIDER. No evidence for protein modifications in fresh frozen plasma after photochemical treatment: an analysis by high-resolution two-dimensional electrophoresis 143

WALTER H. REINHART, ERWIN J. WYSS, DANIELA ARNOLD and PETER OTT. Hereditary spherocytosis associated with protein band 3 defect in a Swiss kindred 147

K. B. RAJA, R. J. SIMPSON and T. J. PETERS. Intestinal iron absorption studies in mouse models of iron-overload 156

M. A. ANWAR, M. W. RAMPLING, S. BIGNALL and R. P. A. RIVERS. The variation with gestational age of the rheological properties of the blood of the new-born 163

PANAYIOTIS PANAYIOTIDIS, KANAGASABAI GANESHAGURU, SHIREEN A. B. JABBAR and A. VICTOR HOFFBRAND. Alpha-interferon (α-IFN) protects B-chronic lymphocytic leukaemia cells from apoptic cell death *in vitro* 169

P. M. MANNUCCI, A. GRINGERI, G. SAVIDGE, P. GATENBY, Y. LAURIAN, I. PABINGER-FASCHING, J. M. MARTINEZ-VAZQUEZ, E. W. HESSEY and H. M. STEEL. Randomized double-blind, placebo-controlled trial of twice-daily zidovudine in asymptomatic haemophiliacs infected with the human immunodeficiency virus type 1 174

SHORT REPORTS

AJAY J. VORA, CHENG HOC TOH, JANET PEEL and MICHAEL GREAVES. Use of granulocyte colony-stimulating factor (G-CSF) for mobilizing peripheral blood stem cells: risk of mobilizing clonal myeloma cells in patients with bone marrow infiltration 180

J. M. O'RIORDAN, K. MOLLOY, D. S. O'BRIAIN, N. CORBALLY, D. DEVANEY, D. MCSHANE, N. CONSIDINE and S. R. MCCANN. Localized, late-onset, high-grade lymphoma following bone marrow transplantation: response to combination chemotherapy 183

J. D. CAVENAGH, A. E. A. JOSEPH, S. DILLY and D. H. BEVAN. Splenic sepsis in sickle cell disease 187

M. Y. GORDON. Stem cells and the microenvironment in aplastic anaemia 190

MASAHITO IWAHASHI, MAKI OTSUKA, SHIGEMI SHIMOTAKAHARA, KIMIHARU UOZUMI, SHUICHI HANADA, TERUKATSU ARIMA and MAKATO MATSUMOTO. Expression of *fos* proto-oncogene product by monoclonal antibody FO-120 in smouldering adult T-cell leukaemia (ATL) 193

F. LELONG, P. CHRETIEN, H. JOUAULT, N. BAYANI, F. BERNAUDIN and S. LEMERLE. A case of peroxidase-positive acute leukaemia expressing only T lineage lymphoid markers 195

SYLVIE CLEMENCEAU, BRUNO PERICHON, JACQUES ELION, CECILE KAPLAN and RAJAGOPAL KRISHNAMOORTHY. An improved DNA-based identification of fetuses at risk for HPA-1a (Pl^{A1}) neonatal alloimmune thrombocytopenia 198

B. BRICHARD, C. VERMYLEN, J. M. SCHEIFF, J. L. MICHAUX, J. NINANE and G. CORNU. Two cases of congenital dyserthropoietic anaemia type I associated with unusual skeletal abnormalities of the limbs 201

MARCELO L. LARRAMENDY, STELLA J. NYLUND, MAIJA WESSMAN, TAPANI RUUTU and SAKARI KNUUTILA. Ploidy in bone marrow cells from healthy donors: a MAC (morphology antibody chromosomes) study 203

JULIE BLATT, AMMAR KATERJI, MAMDOUHA BARMADA, SHARON L. WENGER and LILA PENCHANSKY. Pancytopenia and vacuolation of marrow precursors associated with necrotizing encephalopathy 207

R. PAUL, K. REMES, T. LAKKALA and T. T. PELLINIEMI. Spontaneous remission in acute myeloid leukaemia 210

HENRY G. WATSON, NICHOLAS J. GOULDEN, LYNN M. MANSON, GEORGE MCDERMID, JAMES A. GRAY and ALISTAIR C. PARKER. Virus-associated haemophagocytic syndrome: further evidence for a T-cell mediated disorder 213

C. M. BRAND, L. LEADBEATER, R. BUDIMAN, K. LECHNER and H. GISSLINGER. Successful re-treatment of an anti-inferon resistant polycythaemia vera patient with lymphoblastoid interferon-αN1 and *in vitro* studies on the specificity of the antibodies 216

P. I. MOTUM, Z.-M. DENG, L. HUONG and R. J. TRENT. The Australian type of nondeletional $^{G}\gamma$-HPFH has a C→G substitution at nucleotide −114 of the $^{G}\gamma$ gene 219

HIDEO NAKAMURA, TAKESHI ISHIZAKI, TAKAHIRO ITOYAMA, HISASHI SODA, YOSHIHARU YOSHIDA, YASUAKI YAMADA, KAZUTAKA KURIYAMA, NAOKI SADAMORI and MASAO TOMONAGA. Acute myeloid leukaemia with t(9;11)(p22;q23) in a patient treated for adult T cell leukaemia 222

CAROLYN COTTRILL, ALEX GELLER, FRANCIS X. DISPALTRO, BENNETT WEISSGLASS, ALBERT S. KLAINER and EMIL BISACCIA. Control of polycythaemia vera with photochemotherapy in a patient with cutaneous T-cell lymphoma 225

C. CHAN-LAM, A. G. PRENTICE, J. A. COPPLESTONE, M. WESTON, M. WILLIAMS and C. W. HUTTON. Avascular necrosis of bone following intensified steroid therapy for acute lymphoblastic leukaemia and high-grade malignant lymphoma 227

M. BHAVNANI, S. AL AZZAWI, J. A. LIU YIN and G. S. LUCAS. Therapy-related acute promyelocytic leukaemia 231

YVES NAJEAN, CATHERINE DRESCH and JEAN-DIDIER RAIN. The very-long-term course of polycythaemia: a complement to the previously published data of the Polycythaemia Vera Study Group 233

CORRESPONDENCE

JUDITH DEMETER, PIROSKA TURBUCZ, DEZSÖ LEHOCZKY and FRANZ PORZSOLT. Considerations on the pathogenesis of acute myeloid leukaemia in a splenectomized hairy cell leukaemia patient treated with interferon-alpha 236

Book Reviews; Announcements; Corrigenda 237

Vol. 86 No. 2 **February 1994**

ANNOTATION. M. Y. Gordon. Physiology and function of the haemopoietic microenvironment 241

Marie-Claire Martyré and Juana Wietzerbin. Characterization of specific functional receptors for HuIFN-α on a human megakaryocytic cell line (Dami): expression related to differentiation 244

Norifumi Tsukamoto, Kimio Morita, Tadashi Maehara, Kiyoshi Okamoto, Hirotaka Sakai, Masamitsu Karasawa, Takuji Naruse and Mitsuhiro Omine. Clonality in chronic myeloproliferative disorders defined by X-chromosome linked probes: demonstration of heterogeneity in lineage involvement 253

Harry de Wit, Mariet T. Esselink, M. Ruud Halie and Edo Vellenga. Differential regulation of M-CSF and IL-6 gene expression in monocytic cells 259

Jonathan Cebon, Judith E. Layton, Darryl Maher and George Morstyn. Endogenous haemopoietic growth factors in neutropenia and infection 265

Johann Greil, Martin Gramatzki, Renate Burger, Rolf Marschalek, Markus Peltner, Udo Trautmann, Thomas E. Hansen-Hagge, Claus R. Bartram, Georg H. Fey, Klemens Stehr and Jörn Beck. The acute lymphoblastic leukaemia cell line SEM with t(4;11) chromosomal rearrangement is biphenotypic and responsive to interleukin-7 275

Alina Ferster, Yves Bertrand, Yves Benoit, Annie Boilletot, Catherine Behar, Geneviève Margueritte, Antoine Thyss, Alain Robert, Françoise Mazingue, Gérard Souillet, Noël Philippe, Gabriel Solbu, Stefan Suciu and Jacques Otten. Improved survival for acute lymphoblastic leukaemia in infancy: the experience of EORTC–Childhood Leukaemia Cooperative Group 284

Mats Merup, Gunnar Juliusson, Lennart Hammarström, C. I. Edvard Smith and Gösta Gahrton. T-cell receptor β gene rearrangements in leukaemic B-cells from patients with chronic lymphocytic leukaemia: association with chromosome 6 deletions 291

H. A. Zaheer, M. Bagnara, F. M. Gibson, G. Robinson, T. R. Rutherford and E. C. Gordon-Smith. Persistence of an activating N-*RAS* oncogene mutation in clonogenic progenitor cells from an acute myeloid leukaemia patient in remission 298

Akiro Kimura, Yoshio Nakata, Hideo Hyodo, Atsushi Kuramoto and Yukio Satow. Platelet-derived growth factor expression in accelerated and blastic phase of chronic myelogenous leukaemia with myelofibrosis 303

Shuji Yonekura and Tadami Nagao. Collagenase activity and collagenase-inhibitory factors of serum and bone marrow fibroblast-conditioned medium in chronic myelogenous leukaemia 308

O. M. Koch, M. Probst, M. Tiemann, I. Jakob, M. Volkenandt, R. Wienecke, J. Buer, J. Atzpodien, H. J. Lenz, P. V. Danenberg, J. R. Bertino and R. Parwaresch. Detection of clonal T-cell populations in gastrointestinal lymphomas by analysis of cRNA conformational polymorphisms of rearranged T-cell-receptor-gamma genes 316

S. C. Robson, E. G. Shephard and R. E. Kirsch. Fibrin degradation product D-dimer induces the synthesis and release of biologically active IL-1β, IL-6 and plasminogen activator inhibitors from monocytes *in vitro* 322

Edith Fressinaud, Augusto B. Federici, Giancarlo Castaman, Chantal Rothschild, Francesco Rodeghiero, Hans R. Baumgartner, Pier Mannuccio Mannucci and Dominique Meyer. The role of platelet von Willebrand factor in platelet adhesion and thrombus formation: a study of 34 patients with various subtypes of type I von Willebrand disease 327

Marco Cattaneo, Loredana Simoni, Alessandro Gringeri and Pier Mannuccio Mannucci. Patients with severe von Willebrand disease are insensitive to the releasing effect of DDAVP: evidence that the DDAVP-induced increase in plasma factor VIII is not secondary to the increase in plasma von Willebrand factor 333

Jocelyne Enouf, Elisabeth Corvazier, Béla Papp, Rozenn Quarck, Clarice Magnier, Tünde Kovàcs, Raymonde Bredoux, Sylviane Lévy-Tolédano, Jean de Gunzburg, Frank Wuytack and Jacques Caen. Abnormal cAMP-induced phosphorylation of *rap 1* protein in grey platelet syndrome platelets 338

Morris A. Blajchman, José O. Bordin, Leslie Bardossy and Nancy M. Heddle. The contribution of the haematocrit to thrombocytopenic bleeding in experimental animals 347

R. Liang, S. Liang, N. H. Jiang, X-J. Wen, J-B. Zhao, J. F. Nechtman, T. A. Stoming and T. H. J. Huisman. α and β thalassaemia among Chinese children in Guangxi Province, P.R. China: molecular and haematological characterization 351

T. M. Mayhew, G. L. M. Mwamengele, T. J. Self and J. P. Travers. Stereological studies on red corpuscle size produce values different from those obtained using haematocrit- and model-based methods 355

Ahmed A. Said, Teruhide Yamaguchi, Eriko Uchida and Takao Hayakawa. Characterization of haemolyser-resistant cells increased in the blood of erythropoietin-treated mice 361

Caroline A. Sabin, Andrew N. Phillips, Christine A. Lee, Jonathan Elford, Anthony Timms, Margarita Bofill and George Janossy. Beta-2 microglobulin as a predictor of prognosis in HIV-infected men with haemophilia: a proposed strategy for use in clinical care 366

Gurjevan Garewal, Clair W. Fearon, Tina C. Warren, Neelam Marwaha, Ram K. Marwaha, Chitra Mahadik and Haig H. Kazazian, Jr. The molecular basis of β thalassaemia in Punjabi and Maharashtran Indians includes a multilocus aetiology involving triplicated α-globin loci 372

SHORT REPORTS

VARDA ORON, DVORA FILON, ARIELLA OPPENHEIM and DEBORAH RUND. Severe thalassaemia intermedia caused by interaction of homozygosity for α-globin gene triplication with heterozygosity for β° thalassaemia 377

JEN C. WANG and ANNE WANG. Plasma soluble interleukin-2 receptor in patients with primary myelofibrosis 380

YUKIHIRO SAKAMOTO, YASUNORI KAWACHI, TATSUMI UCHIDA, TAKAKO ABE, MASAHARU MORI, KOJUN SETSU and NAOHITO INDO. Adult T-cell leukaemia/lymphoma featuring a large granular lymphocyte leukaemia morphologically 383

NAOKI MORI, FUMIHIKO SHIRAKAWA, SHUICHI MURAKAMI, SUSUMU ODA and SUMIYA ETO. Interleukin-1α as an autocrine growth factor for acute lymphoblastic leukaemia cells 386

KAZUKI YASUDA, YUTAKA YATOMI, TERUHIKO MATSUSHIMA, AKIKO YONEYAMA, MASAAKI HIGASHIHARA, KIYOSHI KUROKAWA and KAZUHIKO NAKAHARA. A case of POEMS syndrome with thrombocytopenia and biliverdinaemia 389

ANRI TIENHAARA, KARI PULKKI, KARI MATTILA, KERTTU IRJALA and TARJA-TERTTU PELLINIEMI. Serum immunoreactive interleukin-6 and C-reactive protein levels in patients with multiple myeloma at diagnosis 391

G. VISANI, P. TOSI, P. L. ZINZANI, S. MANFROI, A. ZACCARIA, N. TESTONI, R. M. LEMOLI, G. ROSTI, S. PELLICONI and S. TURA. FLAG (fludarabine + cytosine arabinoside + G-CSF) induces complete remission in acute-phase chronic myeloid leukaemia: a case report 394

PIERA SIVERA, LUIGI CESANO, ANGELO GUERRASIO, CLARA CAMASCHELLA and UMBERTO MAZZA. Clinical and haematological improvement induced by etidronate in a patient with idiopathic myelofibrosis and osteosclerosis 397

MITSUHIRO MATSUDA, YASUHIRO MAEDA, CHIKASHI SHIRAKAWA, SATOSHI MORITA, ATSUKO KOYAMA, FUSANARI HORIUCHI, HIROYUKI HAMAZAKI, KIYOHIRO IRIMAJIRI and ATSUSHI HORIUCHI. Possible involvement of protein kinase C activation in down-regulation of CD3 antigen on adult T cell leukaemia cells 399

CARLO MESSORA, LAURA BENSI, ANGELA VECCHI, ROSINA LONGO, FRANCESCA GIACOBBI, PAOLA TEMPERANI, MIRCO BEVINI, GIOVANNI EMILIA and STEFANO SACCHI. Cytogenetic conversion in a case of polycythaemia vera treated with interferon-alpha 402

GUIDO VALENTE, FRANCESCO NEGRO, DONATELLA PACCHIONI and GIORGIO PALESTRO. Infection by Epstein-Barr virus in Hodgkin's disease is not restricted to the Reed-Sternberg cells 405

SUSAN A. RIDGE, MARTIN DYER, MEL F. GREAVES and LEANNE M. WIEDEMANN. Lack of MDM2 amplification in human leukaemia 407

HENRY EKERT, ERIC L. SIEVERS, ANDREW TAN, DAVID I. K. MARTIN, FRANKLIN O. SMITH, DOROTHY BARNARD and IRWIN D. BERNSTEIN. GATA-1 is expressed in acute erythroblastic leukaemia 410

HIROYUKI TSUDA, YOSUKE MAEDA, KAZUMI NAKAGAWA, MASAFUMI NAKAYAMA, HACHIRO NISHIMURA, AKIRA ISHIHARA and HARUHIKO MIYAYAMA. Parvovirus B19-associated haemophagocytic syndrome with prominent neutrophilia 413

HARMAN VAN KAMP, EVA VAN DEN BERG, WIM TIMENS, RENÉ A. KRAAIJENBRINK, M. RUUD HALIE and SIMON M. G. J. DAENEN. Sweet's syndrome in myeloid malignancy: a report of two cases 415

JOHN HEWITT and IAN E. BURTON. Incidence of autoantibodies to GPIIb/IIIa in chronic autoimmune thrombocytopenic purpura may be overestimated by the MAIPA 418

DOMENICO BIASI, LISA MARIA BAMBARA, ANTONIO CARLETTO, PAOLA CARAMASCHI, RICCARDO ORTOLANI, GIUSEPPE PERONA and PAOLO BELLAVITE. Increased *in vitro* neutrophil adherence in a case of chronic idiopathic neutropenia 421

D. M. KEELING, E. M. RICHARDS and T. P. BAGLIN. Platelet aggregation in response to four low molecular weight heparins and the heparinoid ORG 10172 in patients with heparin-induced thrombocytopenia 425

JOHN SCOPES, MAREE BAGNARA, EDWARD C. GORDON-SMITH, SARAH E. BALL and FRANCES M. GIBSON. Haemopoietic progenitor cells are reduced in aplastic anaemia 427

RAFAEL ROJAS, CARMEN MARTIN, JÓSE ROMAN, JOSE M. GARCIA, TRINIDAD MARCHAL and ANTONIO TORRES. Autoimmune haemolytic anaemia presenting 9 years prior to Castleman's disease 431

J. S. LILLEYMAN. Domiciliary desensitization therapy for young boys with haemophilia and factor VIII inhibitors 433

JUNJI TANAKA, MASAHARU KASAI, MASAHIRO IMAMURA, NOBUO MASAUZI, HIROKO OHIZUMI, ATSUSHI MATSUURA, KEN MORII, YOSHIO KIYAMA, TOHRU NAOHARA, MASAO SAITOH, TOSHIO HIGA, KEISUKE SAKURADA and TAMOTSU MIYAZAKI. Evaluation of mixed chimaerism and origin of bone marrow derived fibroblastoid cells after allogeneic bone marrow transplantation 436

CAROLE EMILE, JEAN-PAUL FERMAND and FRANÇOISE DANON. Interleukin-6 serum levels in patients with multiple myeloma 439

ANDREW P. JEWELL, KWEE L. YONG, COLIN P. WORMAN, CHRIS P. TSAKONA, FRANK J. GILES and ANTHONY H. GOLDSTONE. Serum macrophage colony-stimulating factor (M-CSF) levels correlate with clinical response to interferon-alpha in patients with early-stage B-CLL 441

CORRESPONDENCE

J. J. TAYLOR, P. A. HEASMAN, R. STARK, C. ANDRE, D. THIERRY, M. CHEREL, F. GALIBERT and E. GLUCKMAN. Control genes for reverse transcriptase/polymerase chain reaction (RT/PCR) 444

H. L. HAAK, HANS E. JOHNSEN, PER BOYE HANSEN, NIELS EBBE HANSEN and ELISABETH RALFKIAER. Neutrophil increment after single injection of CSF 446

Book Reviews; Announcement 448

Vol. 86 No. 3 **March 1994**

ANNOTATION. ARTHUR ZELENT. Translocation of the RARα locus to the PML or PLZF gene in acute promyelocytic leukaemia 451

GIORGIO ZAULI, MARCO VITALE, GIUSEPPE VISANI, MARCO MARCHISIO, DANIELA MILANI and SILVANO CAPITANI. *In vitro* growth of human fetal CD34+ cells in the presence of various combinations of recombinant cytokines under serum-free culture conditions 461

N. B. WESTWOOD, R. CHUNG, A. J. B. EMMERSON and T. C. PEARSON. The *in vitro* effects of stem cell factor, interleukin 3 and granulocyte-macrophage colony stimulating factor on haemopoietic progenitor cells from premature infants 468

LUC DOUAY, MARIE-CATHERINE GIARRATANA, JEAN-YVES MARY and NORBERT-CLAUDE GORIN. Interleukin 2 interacts with myeloid growth factors in serum-free long-term bone marrow culture 475

TAIJIRO ISHIYAMA, SHINJI NAKAMURA, YOSHIHISA AKIMOTO, MICHIAKI KOIKE, SHIGERU TOMOYASU, NOBUYOSHI TSURUOKA, YAEKO MURATA, TADATSUGU SATO, YOSHIHISA WAKABAYASHI and SHYOZO CHIBA. Immunodeficiency and IL-6 production by peripheral blood monocytes in multicentric Castleman's disease 483

HARUMI YAMAMOTO, HARUHIKO NINOMIYA, KENTARO YOSHIMATSU, YASUO UCHIYAMA, MASANAO SHIBAZAKI, HIDEO ENOKIHARA, SHINRO TACHIBANA and TSUKASA ABE. Serum levels of major basic protein in patients with or without eosinophilia: measurement by enzyme-linked immunosorbent assay 490

SHIREEN A. B. JABBAR, A. VICTOR HOFFBRAND and R. GITENDRA WICKREMASINGHE. Regulation of transcription factors NFκB and AP-1 following tumour necrosis factor-α treatment of cells from chronic B cell leukaemia patients 496

D. ZHU, R. E. HAWKINS, T. J. HAMBLIN and F. K. STEVENSON. Clonal history of a human follicular lymphoma as revealed in the immunoglobulin variable region genes 505

STEFANO PILERI, MONICA BOCCHIA, CARLO D. BARONI, MAURIZIO MARTELLI, BRUNANGELO FALINI, ELENA SABATTINI, FILIPPO GHERLINZONI, SERGIO AMADORI, SIMONETTA POGGI, PATRIZIO MAZZA, VITO BURGIO, PIER LUIGI ZINZANI, GIUSEPPE MELILLI, MONICA BENNI, LUCA SARAGONI, MASSIMO F. MARTELLI, HARALD STEIN, FRANCO MANDELLI and SANTE TURA. Anaplastic large cell lymphoma (CD30+/Ki-1+): results of a prospective clinico-pathological study of 69 cases 513

FABIENNE MEGGETTO, TALAL AL SAATI, BENT RUBIN and GEORGES DELSOL. Lack of restricted T-cell receptor β-chain variable region (Vβ) usage of reactive T-lymphocytes in Hodgkin's disease 524

YONG-MING ZHU, DAWN BRADBURY and NIGEL RUSSELL. Decreased retinoblastoma protein expression in acute myeloblastic leukaemia is associated with the autonomous proliferation of clonogenic blasts 533

M. P. A. LYTTELTON, S. HART, K. GANESHAGURU, A. V. HOFFBRAND and A. B. MEHTA. Quantitation of multidrug resistant MDR1 transcript in acute myeloid leukaemia by non-isotopic quantitative cDNA-polymerase chain reaction 540

XU-RONG JIANG, MARION G. MACEY, PETER W. COLLINS and ADRIAN C. NEWLAND. Characterization and modulation of drug transport kinetics in K562 cl.6 daunorubicin-resistant cell line 547

STANTON L. GERSON, CHERYL ARCE and HERBERT Y. MELTZER. N-desmethylclozapine: a clozapine metabolite that suppresses haemopoiesis 555

K. OGATA, N. YOKOSE, T. ITO, E. AN, H. TAMURA, K. DAN, H. HAMAGUCHI, H. SAKAMAKI, Y. ONOZAWA and T. NOMURA. Assessment of therapeutic potential of interleukin 2 for myelodysplastic syndromes 562

SARAH L. JANES, DARREN J. WILSON, ALISON D. COX, NICHOLAS A. F. CHRONOS and ALISON H. GOODALL. ADP causes partial degranulation of platelets in the absence of aggregation 568

ARCHIBALD MCNICOL, SARA J. ISRAELS, CATHERINE ROBERTSON and JON M. GERRARD. The empty sack syndrome: a platelet storage pool deficiency associated with empty dense granules 574

K. J. STEVENSON and J. M. SEDDON. The role of lipids in the detection of lupus anticoagulant by the dilute Russell Viper venom test: are platelets or reagents containing hexagonal H_{II} phases necessary? 583

MASAHIRO MURAKAWA, TAKASHI OKAMURA, TAKUMI KAMURA, MIKA KUROIWA, MINE HARADA and YOSHIYUKI NIHO. A comparative study of partial primary structures of the catalytic region of mammalian protein C 590

VIVAN CHAN, P. AU, P. LAU and T. K. CHAN. A novel haemophilia B defect due to partial duplication of the factor IX gene 601

F. BERNARDI, D. L. LINEY, P. PATRACCHINI, D. GEMMATI, C. LEGNANI, P. ARCIERI, M. PINOTTI, R. REDAELLI, G. BALLERINI, S. PEMBERTON, A. I. WACEY, G. MARIANI, E. G. D. TUDDENHAM and G. MARCHETTI. Molecular defects in CRM+ factor VII deficiencies: modelling of missense mutations in the catalytic domain of FVII 610

T. FEST, M. DESCHASEAUX, C. MOUGIN, J. Y. CAHN, J. L. DUPOND and P. HERVE. *In situ* hybridization for the detection of cytomegalovirus in blood or bone marrow leucocytes after allogeneic bone marrow transplantation 619

G. SOCIÉ, F. SÉLIMI, L. SEDEL, J. FRIJA, A. DEVERGIE, H. ESPEROU BOURDEAU, P. RIBAUD and E. GLUCKMAN. Avascular necrosis of bone after allogeneic bone marrow transplantation: clinical findings, incidence and risk factors 624

G. M. BAERLOCHER, E. SCHLAPPRITZI, P. W. STRAUB and W. H. REINHART. Erythrocyte deformability has no influence on the rate of erythrophagocytosis *in vitro* by autologous human monocytes/macrophages 629

E. G. MEYRON-HOLTZ, E. FIBACH, D. GELVAN and A. M. KONIJN. Binding and uptake of exogenous isoferritins by cultured human erythroid precursor cells 635

SHORT REPORTS

A. R. Bedford Russell, E. G. Davies, S. McGuigan, G. J. D. Scopes, S. Daly and E. C. Gordon-Smith. Plasma granulocyte-colony stimulating factor concentrations ([G-CSF]) in the early neonatal period 642

Masaaki Fukutoku, Shiro Shimizu, Yoshimi Ogawa, Shouichi Takeshita, Yasuhumi Masaki, Toshihide Arai, Yuko Hirose, Susumu Sugai, Susumu Konda and Tomoo Takiguchi. Sweet's syndrome during therapy with granulocyte colony-stimulating factor in a patient with aplastic anaemia 645

S. Eliyahu and E. Shalev. A successful pregnancy after bone marrow transplantation for severe aplastic anaemia with pre-transplant conditioning of total lymph-node irradiation and cyclophosphamide 649

Ellen Taaning, Niels Jacobsen and Niels Morling. Graft-derived anti-HPA-2b production after allogeneic bone-marrow transplantation 651

K. P. Dalla, Z. R. Zeigler and R. K. Shadduck. α-Interferon in myelofibrosis: a case report 654

L. Baldini, A. Guffanti, A. Ferrari, D. Castagnone, B. Mascagni, N. Fracchiolla, M. Colombi and A. T. Maiolo. Uncommon clinical presentation of a lymphocytic lymphoma of intermediate differentiation in a patient with systemic sclerosis 657

Jesús Soler, Ramon Bordes, Francisco Ortũno, Mario Montagud, Jaume Martorell, Cristina Pons, Josep Nomdedeu, Juan Jose Lopez-Lopez, Jaime Prat and Miquel Rutllant. Aggressive natural killer cell leukaemia/lymphoma in two patients with lethal midline granuloma 659

Man-Fung Vincent Choi, Michael J. Mant, A. Robert Turner, John J. Akabutu and Stephen L. Aaron. Successful reversal of neutropenia in Felty's syndrome with recombinant granulocyte colony stimulating factor 663

Shigeru Chiba, Ken Inamori, Kinuko Mitani, Hisamaru Hirai and Yoshio Yazaki. Marked and reproducible increase in trilineage blood cell counts by administration of granulocyte colony-stimulating factor in a patient with refractory anaemia with excess blasts in transformation 665

J. M. Eastham, J. T. Reilly and S. Mac Neil. Raised urinary calmodulin levels in idiopathic myelofibrosis: possible implications for the aetiology of fibrosis 668

S. Simsek, D. Gallardo, A. Ribera and A. E. G. Kr. von dem Borne. The human platelet alloantigens, HPA-5(a+,b−) and HPA-5(a−,b+), are associated with a Glu^{505}/Lys^{505} polymorphism of glycoprotein Ia (the α_2 subunit of VLA-2) 671

Vincent Praloran, Lionel Coupey, Magali Donnard, Lamya Berrada and Marie Françoise Naud. Elevation of serum M-CSF concentrations during pregnancy and ovarian hyperstimulation 675

T. Facon, M. T. Caulier, E. Wattel, J. P. Jouet, F. Bauters and P. Fenaux. A randomized trial comparing vinblastine in slow infusion and by bolus i.v. injection in idiopathic thrombocytopenic purpura: a report on 42 patients 678

P. Harrison, P. Chipping and G. A. Fothergill. Successful use of all-trans retinoic acid in acute promyelocytic leukaemia presenting during the second trimester of pregnancy 681

Feng Lin, John M. Goldman and Nicholas C. P. Cross. A comparison of the sensitivity of blood and bone marrow for the detection of minimal residual disease in chronic myeloid leukaemia 683

CORRESPONDENCE

Núria Pujol-Moix, Eduardo Muñiz-Diaz, Angel Hernandez, M. Angels Romero and Jordi Puig. Fechtner syndrome variant: a new family with mild Alport's manifestations 686

Book Reviews; Announcements 688

Vol. 86 No. 4 April 1994

CLINICAL ANNOTATION. D. C. Linch. Management of histologically aggressive non-Hodgkin's lymphomas 691

Norihiro Sato, Ken-ichi Sawada, Takashi Tarumi, Kazuki Koizumi, Taro Yasukouchi, Tsuneo A. Takahashi, Sadayoshi Sekiguchi and Takao Koike. Recombinant human interleukin-4 inhibits the production of granulocyte-macrophage colony stimulating factor by blood mononuclear cells 695

Margaret A. Cooley, Louise Wright and Kerry Atkinson. Cytokine activity after allogeneic bone marrow transplantation. V. Analysis of IL-2 and IFN production by isolated $CD4^+$ and $CD8^+$ cells 702

M. Höglund, B. Simonsson, B. Smedmyr, G. Öberg and P. Venge. The effect of rGM-CSF on neutrophil and eosinophil regeneration after ABMT as monitored by circulating levels of granule proteins 709

Evelyn R. Brandt, Anthony W. Linnane and Rodney J. Devenish. Expression of IFN A genes in subpopulations of peripheral blood cells 717

Antonio Palumbo, Silvano Battaglio, Patrizia Napoli, Paola Omedè, Antonella Fusaro, Benedetto Bruno, Mario Boccadoro and Alessandro Pileri. Recombinant interferon-γ inhibits the *in vitro* proliferation of human myeloma cells 726

Simon P. Hauser, Kodetthoor B. Udupa and David A. Lipschitz. Effects of ceftazidime, a betalactam antibiotic, on murine haemopoiesis *in vitro* 733

Claudia Cantoni, Daniela de Totero, Francesco Lauria, Donatella Raspadori, Romana Conte, Silvano Ferrini, Pier Luigi Tazzari and Roberto Biassoni. Phenotypic, functional and molecular analysis of $CD3^-$ LGL expansions indicates a relationship to two different $CD3^-$ normal counterparts 740

Sheila Rodgers, Robert C. Rees and Barry W. Hancock. Changes in the phenotypic characteristics of eosinophils from patients receiving recombinant human interleukin-2 (rhIL-2) therapy 746

W. Mills, R. Chopra, D. C. Linch and A. H. Goldstone. Liposomal amphotericin B in the treatment of fungal infections in neutropenic patients: a single-centre experience of 133 episodes in 116 patients 754

G. M. Lowe, Y. Dang, F. Watson, S. W. Edwards and D. W. Galvani. Identification of a subgroup of myelodysplastic patients with a neutrophil stimulation-signalling defect 761

Kazutaka Kuriyama, Masao Tomonaga, Tatsuki Matsuo, Tohru Kobayashi, Hiroshi Miwa, Shigeru Shirakawa, Mitsune Tanimoto, Koichi Adachi, Nobuhiko Emi, Akira Hiraoka, Nobuhiko Tominaga, Kuniyuki Imai, Norio Asou, Kazuo Tsubaki, Isao Takahashi, Saburoh Minami, Minoru Yoshida, Hirokazu Murakami, Keisuke Minato, Toshiteru Oshima, Shinpei Furusawa, Ryuzo Ohno and Japan Adult Leukaemia Study Group (TALSG). Poor response to intensive chemotherapy in *de novo* acute myeloid leukaemia with trilineage myelodysplasia 767

Valeri Vasioukhin, Philippe Anker, Pierre Maurice, Jacqueline Lyautey, Christine Lederrey and Maurice Stroun. Point mutations of the N-*ras* gene in the blood plasma DNA of patients with myelodysplastic syndrome or acute myelogenous leukaemia 774

Hossain Mossafa, André Brizard, Jean-Loup Huret, Françoise Brizard, Michel Lessard, François Guilhot and Joseph Tanzer. Trisomy 8q due to i(8q) or der(8) t(8;8) is a frequent lesion in T-prolymphocytic leukaemia: four new cases and a review of the literature 780

Kouji Oka, Toshiyuki Ohno, Kenkichi Kita, Motoko Yamaguchi, Nobuyuki Takakura, Kazuhiro Nishii, Hiroshi Miwa and Shigeru Shirakawa. PRAD1 gene over-expression in mantle-cell lymphoma but not in other low-grade B-cell lymphomas, including extranodal lymphoma 786

Dina Ben-Yehuda, Jane Houldsworth, Nasser Z. Parsa and R. S. K. Chaganti. Gene amplification in non-Hodgkin's lymphoma 792

G. Dolan, K. Neal, P. Cooper, P. Brown and F. E. Preston. Protein C, antithrombin III and plasminogen: effect of age, sex and blood group 798

Michel R. A. Lalloz, Rainer Schwaab, John H. McVey, Katerina Michaelides and Edward G. D. Tuddenham. Haemophilia A diagnosis by simultaneous analysis of two variable dinucleotide tandem repeats within the factor VIII gene 804

Sharon Windsor, Sherryl A. M. Taylor and David Lillicrap. Multiplex analysis of two intragenic microsatellite repeat polymorphisms in the genetic diagnosis of haemophilia A 810

K. Peerlinck, M. Willems, L. Sheng, F. Nevens, J. Fevery, S. H. Yap and J. Vermylen. Rapid clearance of hepatitis C virus RNA in peripheral blood mononuclear cells of patients with clotting disorders and chronic hepatitis C treated with alpha-2b interferon is not a predictor for sustained response to treatment 816

J. Stuart, F. B. O. Mojiminiyi, P. C. W. Stone, S. J. Culliford and J. C. Ellory. Additive *in vitro* effects of anti-sickling drugs 820

D. G. Efremov, A. J. Dimovski, E. Baysal, Z. Ye, A. D. Adelike, M. L. S. Ribeiro, G. Schiliro, Ç. Altay, A. Gürgey, G. D. Efremov and T. H. J. Huisman. Possible factors influencing the haemoglobin and fetal haemoglobin levels in patients with β-thalassaemia due to a homozygosity for the IVS-I-6 (T→C) mutation 824

Masaki Yasukawa, Fumiki Shinozaki, Takaaki Hato, Kiyonori Takada, Yuko Ishii, Tomonori Tamai, Hideyuki Takamatsu, Shintaro Shiobara, Kenichi Yoshizaki and Shigeru Fujita. Successful treatment of transfusion-associated graft-versus-host disease 831

M. N. Narayanan, C. G. Geary, A. J. Freemont and J. R. Kendra. Long-term follow-up of aplastic anaemia 837

David Savage, Innocent Gangaidzo, John Lindenbaum, Clement Kiire, Joshua M. Mukiibi, Alpha Moyo, Christine Gwanzura, Boniface Mudenge, Anne Bennie, John Sitima, Sally P. Stabler and Robert H. Allen. Vitamin B_{12} deficiency is the primary cause of megaloblastic anaemia in Zimbabwe 844

Karen O. Hamilton, Lorraine Stallibrass, Ian Hassan, Yi Jin, Christine Halleux and Martin Mackay. The transport of two iron chelators, desferrioxamine B and L1, across Caco-2 monolayers 851

Y. S. Lo, C. C. Lu, S. S. Chiou, B. H. Chen, T. T. Chang and J. G. Chang. Molecular characterization of glucose-6-phosphate dehydrogenase deficiency in Chinese infants with or without severe neonatal hyperbilirubinaemia 858

M. Worwood, R. Raha-Chowdhury, M. T. Dorak, C. Darke, D. J. Bowen and A. K. Burnett. Alleles at D6S265 and D6S105 define a haemochromatosis-specific genotype 863

SHORT REPORTS

M. N. Narayanan, G. R. Morgenstern, J. C. Chang, C. J. Harrison, M. Ranson and J. H. Scarfe. Acute lymphoblastic leukaemia following Hodgkin's disease is associated with a good prognosis 867

Rika Iwakiri, Koiti Inokuchi, Kazuo Dan and Takeo Nomura. Marked basophilia in acute promyelocytic leukaemia treated with all-trans retinoic acid: molecular analysis of the cell origin of the basophils 870

A. E. Morrison, J. O'Grady, A. C. Parker and K. McLaren. Metastatic papillary carcinoma of thyroid in a patient undergoing allogeneic BMT for CML 873

J. Leslie, T. Barker, M. Glancy, B. Jennings and J. Pearson. t(8;13)(p11;q12) translocation in a myeloproliferative disorder associated with a T-cell non-Hodgkin lymphoma 876

D. MacDonald, S. M. Sheerin, N. C. P. Cross, A. Spencer and J. M. Goldman. An atypical myeloproliferative disorder with t(8;13)(p11;q12): a third case 879

C. Denzlinger, E. Holler, G. Reisbach, E. Hiller and W. Wilmanns. Granulocyte colony-stimulating factor inhibits the endogenous leukotriene production in tumour patients 881

Maria Karakantza, Frances M. Gibson, James D. Cavenagh, Sarah E. Ball, Myrtle Y. Gordon and Edward C. Gordon-Smith. SLE^x expression on normal CD34 positive bone marrow haemopoietic progenitor cells 883

Akinobu Matsuzaki, Takeshi Inamatsu, Toshiaki Watanabe, Shouichi Ohga, Eiichi Ishii, Yoshihisa Nagatoshi, Hideko Tasaka, Masahiro Suda and Kohji Ueda. Acute promyelocytic leukaemia in a patient treated with etoposide for Langerhans cell histiocytosis 887

D. Williamson, C. H. Beresford, J. V. Langdown, C. C. Anderson and A. R. Green. Polycythaemia associated with homozygosity for the abnormal haemoglobin Sherwood Forest (β104(G6) Arg→Thr) 890

CORRESPONDENCE

A. Tefferi and M. N. Silverstein. Recombinant human erythropoietin therapy in patients with myelofibrosis with myeloid metaplasia 893

M. Sivakumaran, K. Ghosh, R. Munks, K. Gelsthorpe, L. Tan and J. K. Wood. Delayed cutaneous reaction to unfractionated heparin, low molecular weight heparin and danaparoid 893

P. Merel, F. Comeau, R. Destrebecq, B. Dupin, G. Vezon, P. Metcalfe and A. H. Waters. PCR control for HPA-1 typing by PCR amplification with sequence-specific primers (PCR-SSP) 894

Blanche P. Alter. Fanconi's anaemia and its variability 895

A. E. Green, M. C. Hickton and G. D. O. Lowe. Should plasma viscosity replace the ESR? 896

Book Reviews 897

Author and Keyword Indexes to Volume 86 899

Vol. 86 Suppl. 1 **April 1994**

Abstracts of papers presented at the Annual Scientific Meeting of the British Society for Haematology, Harrogate, UK, 25–28 April 1994